



ThermoGuard – High Temperature LED High bay 150w | 200w | 300w

Chips Type/Brand:	Happsky driver and Titian LED Chips
-------------------	-------------------------------------

Wattage	150w, 200w, 300w
---------	------------------

IP Rating	150Lm/w
-----------	---------

Colour Temperature	4500-5700k
--------------------	------------

Beam Angle:	120
-------------	-----

Voltage input:	AC 120~277 Volts 50/60Hz
----------------	--------------------------

IP Rating:	IP66
------------	------

Lifespan:	>50,000 Hours
-----------	---------------

CRI	>70
-----	-----

IK Rating:	IK09
------------	------



ThermoGuard – High Temperature LED High bay 150w | 200w | 300w

Working Temperature	-40°~ +70°C
---------------------	-------------

Material:	die cast Aluminium
-----------	--------------------

Dimensions	260mm x 156mm
------------	---------------



Certifications	CE, RoHs, ETL
----------------	---------------

Application	suitable for Grain Storage Facilities, Composting Operations, Recycling Centres, Power Plants
-------------	---


Warranty:	5 Years
-----------	---------

ThermoGuard – High Temperature LED High bay

150w | 200w | 300w





1.



Turn off the power before installation.
Adjust the irradiation angle, tighten 2x
angle holder screws as Fig.1. (Gasket
must be checked before installation)

2.



Install the fastening screws of the lamp.