



**Philips LED Street
Light | 40W | 60W |
2200k | 2700k |
4000k | 6000k**





**Philips LED Street Light | 40W
| 60W | 2200k | 2700k | 4000k |
6000k**

Compliance

This product meets **CE**, **RoHS**, and **ENEC** certifications, confirming compliance with European safety, environmental, and electrical standards, ensuring reliable performance, reduced hazardous substances, and high-quality manufacturing for wide-ranging applications and user confidence.





**Philips LED Street Light | 40W
| 60W | 2200k | 2700k | 4000k |
6000k**

Product Description

The Philips LED Street Light is a high-performance outdoor lighting solution designed for durability and efficiency. Powered by a Philips Xitanium driver, it delivers up to 150lm/W with wattage options of 40W and 60W. Offering multiple colour temperatures, it suits various environments such as walkways, roadsides, and car parks. Its robust aluminium and glass construction, IP65 and IK09 ratings, and 100,000-hour lifespan ensure reliable operation in demanding conditions, backed by a 5-year guarantee.

Warranty

5 Year Standard Warranty





Philips LED Street Light | 40W | 60W | 2200k | 2700k | 4000k | 6000k

Driver Type/Brand: Phillips Xitanium

Wattage: 40W | 60W

Lumens Per Watt 150lm/w

Colour Temperature: Choose Either: 2200k, 2700k,
4000k, 6000k

Beam Angle: Asymmetrical 160°x60°

Voltage input: AC220-240V

IP Rating: IP65

IK Rating: IK09

Lifespan: 100,000 Hours

Working Temperature: -20 °C~+45 °C





Philips LED Street Light | 40W | 60W | 2200k | 2700k | 4000k | 6000k

Dimensions:

40W:

Height: 250 mm

Diameter: 480 mm

Depth: 580 mm

Weight: 8.8 kg

Fixing Diameter: Ø60 mm

60W:

Width: 185 mm

Height: 250 mm

Diameter: 480 mm

Depth: 580 mm

Weight: 8.8 kg

Fixing Diameter: Ø60 mm

Material:

Aluminium, Glass

Certificates:

CE & RoHS

Application:

Suitable for outdoor areas,
Walk ways, roadsides, car
park

Delivery:

This product has a 2-3 week
lead time.

Warranty

5 Year Guarantee





**Philips LED Street Light | 40W
| 60W | 2200k | 2700k | 4000k |
6000k**

Additional Photographs

